





P3330-28 Greta

Views and ground plan - Julkisivut ja pohjapiirustus - Fasader och grundplan





Roof Pmax=95kg/m²  
V 1.0


	
House	P3330-28 Greeta
Drawing	Views-kuvat-sedd
Material	28x135
Scale	1:100
Date	28.03.2016
File	P3330-28 Greeta views.dwg




House	P3330-28 Greta	Sheet	2
Drawing	Floorbeams-lattiapalkit-golvbjälkar	Scale	1:35
Material	43x90	Date	02.12.2013
Drawer		File	P3330-28 Greta.dwg




House	P3330-28 Greta	Sheet	3
Drawing	Grundplan-Pohjapiirustus-Grundplan	Scale	1:35
Material	28x135	Date	02.12.2013
Drawer	File P3330-28 Greta.dwg		



Wall-seinä-vägg A ↗




House	P3330-28 Greta	Sheet	4
Drawing	Wall-seinä-vägg A	Scale	1:35
Material	2.8x13.5	Date	02.12.2013
Drawer	File P3330-28 Greta.dwg		





Wall-seinä-vägg B ↗



House	P3330-28 Greta		Sheet	5
Drawing	Wall-seinä-vägg B		Scale	1:35
Material	2.8x13.5		Date	02.12.2013
Drawer	File P3330-28 Greta.dwg			

























House	P3330-28 Greta	Sheet	6
Drawing	Wall-seinä-vägg 1	Scale	1:35
Material	2.8x13.5	Date	02.12.2013
Drawer	File P3330-28 Greta.dwg		



House	P3330-28 Greta	Sheet	7
Drawing	Wall-seinä-vägg 2	Scale	1:35
Material	2.8x13.5	Date	02.12.2013
Drawer	File P3330-28 Greta.dwg		



Pos	P3330-28 Greta	Pcs.	Profile (mm)	L (mm)
001		1	28x135	4330
002		1	28x135	4330
003		2	28x135	3980
004		2	28x135	3730
006	 +1= EXTRA PROFILE	14+1	28x135	3530
007		2	28x135	3480
008		20	28x135	3230
009		2	28x68	3230
011		7	28x135	1960
013		21	28x135	655
014		7	28x135	530
W1-1		1	28x499	3530
W2-1		1	28x499	3530
FB1	FLOORBEAM-LATTIAPALKIT-GOLVBJÄLKAR 	2	43x90	4490
FB2	FLOORBEAM-LATTIAPALKIT-GOLVBJÄLKAR 	10	43x90	3234
RB1	ROOFBEAMS-KATTO-ORRET-TÄKASAR 	2	43x140	4330
RB2	ROOFBEAMS-KATTO-ORRET-TÄKASAR 	1	43x140	4330
F	FLOORBOARD-LATTIALAUTA-GOLVBRÄDE  88mm or -tai- eller 114mm	29+1 38+1	114x19 88x19	2970 2970
R	ROOFBOARD-KATTOLAUTA-TAKBRÄDE  88mm or -tai- eller 114mm	76 100	114x19 88x19	1930 1930
T	TERRACE BOARD-TERASSILAUTA-TERASSBRÄDE IMM 	37	90x19	1460
FF	FLOOR FILLET-LATTIALISTA-GOLVLIST 		18x30	12.5m
GB	GABLE BOARD-KAAPELILAUTA-GAVELBRÄDA 	4	19x120	1970




















Polhus

Kood P3330-28 Greta


Materjal

File P3330-28 Greta.dwg

Leht 1/2

Pos	P3330-28 Greta	Pcs.	Profile (mm)	L (mm)	
EB	EAVE BOARD-RÄYSTÄSLAUTA-TAKFOTBRÄDE 	2	19x90	4330	
ES	EAVE SLAT-RÄYSTASLISTA-TAKFOTLIST 	2	30x40	4330	
RFF	ROOF FELT FILLET - KATON PÄÄTYLAUTA - BRÄDE OVANPÅ GAVELBRÄDE 	4	19x70	1980	
D	DECORATIVE - KORISTE - PRYDNADS 	2	19x100	200	
	BOARD FOR ASSEMBLING - ASENNUSLAUTA - SLAGBRÄDE 	2	28x135	300	
	NAILS - NAULAT - SPIKAR  FLOORBOARD - LATTIALAUTA - GOLVBRÄDE ROOFBOARD - KATTOLAUTAT - TAKBRÄDE	535	2,5x60		
	NAILS - NAULAT - SPIKAR  FLOORBEAMS - LATTIAPALKIT - GOLVBJÄLKAR	40	5,0x100		
	SCREWS - RUUVIT - SKRUVAR  ROOF FELT FILLET-KATON PÄÄTYLAUTA-BRÄDE OVANPÅ GAVELBRÄDE SKIRTING SLAT - LATTIALISTA - GOLVLIST	45	3,5x35		
	SCREWS - RUUVIT - SKRUVAR  EAVE BOARD - RÄYSTÄSLAUTA - TAKFOTSBRÄDE EAVE SLAT - RÄYSTASLISTA - TAKFOTSLIST GABLE BOARD - KAAPELILAUTA - GAVELBRÄDA TERRACE BOARD - TERRASILAUTA - TERASSBRÄDE	345	4,5x50		
	SCREWS - RUUVIT - SKRUVAR  FIXING HALF BEAMS VAHVISTETTAVA PUOLIKKAAT PALKIT FÖR ATT FASTA HALVA VÄGGPROFILER	10	4,5x90		
	DOOR CROSSES-OVIRISTIKKO-SPRÖJS 	1			
	DOOR HANDLE-OVEN KAHVA-DÖRR HANDTAG 	1			
	WINDOW CROSSES-IKKUNARISTIKKO-SPRÖJS 	1			
	WINDOW HANDLE-IKKUNA KAHVA-FÖNSTER HANDTAG 	1			
	DOOR LOCK+KEYS-OVENLUKKO+AVAIN-DÖRRLÅS+NYCKLAR 	1+1			
	DOOR - OVI - DÖRR 905x1860 1 set - kpl - st (right hand - oikea käsi - höger hand)  AST_ISO_VA	P.P.	1	905	1860
	WINDOW - IKKUNAN - FÖNSTER - 765x920 1 set - kpl - st (right hand - oikea käsi - höger hand)  AST_ISO_KP	P.P.	1	765	920






Detta är ett förslag för hur man kan placera plintarna (100- 200 mm i diamaten) för golvväggsklaget. Golvväggskarna är med i byggsatsen, men inte plintarna. Använder man exempelvis 500-600mm långa murblock så kan man halvera antalet punkter. Lägg fuktskyddande papp mellan betong och trä

Tämä on ehdotus siitä, miten (100-200 mm läpimittaiset) jalat voidaan sijoittaa alapohjaa varten. Lattiapaikit ovat rakennussarjassa, mutta jalat ei ole. Kun käytetään esimerkiksi 500-600 mm pitkiä harkkoja, voidaan pisteiden määrä puolittaa. Aseta betonin ja puun välillä kosteudelta suojava pähvi

A proposal for placing plinths (100-200 mm in diameter) for floor beams. Floor beams are provided in the kit but plinths are not included. For example, by using 500-600 mm long masonry units, one can reduce the number of points 50%. Place cardboard between the concrete and wood to protect from moisture



**Polhus**

House	P3330-28 Greta	Sheet	
Drawing	Plan	Scale	1:35
Material		Date	28.03.2016
Drawer	K.K.	File	P3330-28 Greta.dwg